

Appl. No. 09/845,514  
Reply to Office Action of January 15, 2004

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

1. (Currently amended) A method of treating a patient suffering from a neuromuscular disorder or condition, said method comprising the step of administering simultaneously to the patient a therapeutically effective amount of a combination of at least two neurotoxins selected from a group consisting of botulinum toxin types A, B, C, D, E, F and G, the combination of at least two neurotoxins including an amount of each selected neurotoxin such that the combination is effective in enhancing relief of muscle contraction relative to the relief provided by a reference composition including an amount of only one of the selected neurotoxins equal to the total amount of the neurotoxins of the combination ~~each selected neurotoxin being present in an amount selected to control a duration of therapeutic activity of the administered neurotoxins.~~

2. (Original) The method according to claim 1 wherein the selected neurotoxins are botulinum toxin types A and B.

3. (Original) The method according to claim 1 wherein the selected neurotoxins are botulinum toxin types A and C.

4. (Original) The method according to claim 1 wherein the selected neurotoxins are botulinum toxin types A and D.

Appl. No. 09/845,514  
Reply to Office Action of January 15, 2004

5. (Original) The method according to claim 1 wherein the selected neurotoxins are botulinum toxin types A and E.

6. (Original) The method according to claim 1 wherein the selected neurotoxins are botulinum toxin types A and F.

7. (Original) The method according to claim 1 wherein the selected neurotoxins are botulinum toxin types A and G.

8. (Previously presented) The method according to claim 1 wherein the duration of therapeutic activity is suitable for treatment of joint dislocations, relaxation for physical therapy, alleviation of muscle spasm, immobilization of a joint undergoing surgery and for prevention of muscle contractions prior to or after surgery.

9. (Original) The method according to claim 1 wherein the duration of therapeutic activity is suitable for treating tendon and ligament alignment repair, treatment of scoliosis and spasm of sphincter muscles.

10-16. (Cancelled)

17. (Currently amended) A composition suitable for treating a patient suffering from a neuromuscular disorder or condition, said composition comprising a therapeutically effective amount of a combination of at least two neurotoxins selected from a group consisting of botulinum toxin types A, B, C, D, E, F and G, the combination of at least two neurotoxins including an amount of each selected neurotoxin such that the combination is effective in enhancing relief of muscle contraction relative to

Appl. No. 09/845,514  
Reply to Office Action of January 15, 2004

the relief provided by a reference composition including an amount of only one of the selected neurotoxins equal to the total amount of the neurotoxins of the combination ~~each selected neurotoxin being present in an amount selected to control a duration of therapeutic activity of the combination of neurotoxins.~~

18. (Original) The composition according to claim 17 wherein the selected neurotoxins are botulinum toxin types A and B.

19. (Original) The composition according to claim 17 wherein the selected neurotoxins are botulinum toxin types A and C.

20. (Original) The composition according to claim 17 wherein the selected neurotoxins are botulinum toxin types A and D.

21. (Original) The composition according to claim 17 wherein the selected neurotoxins are botulinum toxin types A and E.

22. (Original) The composition according to claim 17 wherein the selected neurotoxins are botulinum toxin types A and F.

23. (Original) The composition according to claim 17 wherein the selected neurotoxins are botulinum toxin types A and G.

24. (Previously presented) The composition according to claim 17 wherein the duration of therapeutic activity is suitable for treatment of joint dislocations, relaxation for physical therapy, alleviation of muscle spasm, immobilization of a joint undergoing surgery and for prevention of muscle contractions prior to or after surgery.

Appl. No. 09/845,514  
Reply to Office Action of January 15, 2004

25. (Original) The composition according to claim 17 wherein the duration of therapeutic activity is suitable for treating tendon and ligament alignment repair, treatment of scoliosis and spasm of sphincter muscles.

26. (Currently amended) A composition suitable for treating a patient suffering from a neuromuscular disorder or condition, said composition comprising a therapeutically effective amount of a combination of at least two neurotoxins selected from a group consisting of botulinum toxin types A, B, C, D, E, F and derivative of G, the combination of at least two neurotoxins including an amount of each selected neurotoxin such that the combination is effective in enhancing relief of muscle contraction relative to the relief provided by a reference composition including an amount of only one of the selected neurotoxins equal to the total amount of the neurotoxins of the combination ~~each selected neurotoxin being present in an amount selected to control a duration of therapeutic activity of the combination of neurotoxins.~~

27. (Canceled)

28. (Previously presented) A therapeutic composition comprising a combination of a therapeutically effective amount of botulinum neurotoxin type A and botulinum neurotoxin type B.

29. (Previously presented) A therapeutic composition comprising a combination of a therapeutically effective amount of botulinum neurotoxin type A and botulinum neurotoxin type E.